

# AGRICULTURAL TYRES

2020/2021

Cultor

## TRACTOR RADIAL TYRES



### RD-03 Wide tractor tyre for gentle ground handling and higher load capacity

- Radial construction, maximum speed 65 km/h.
- Up to 40% higher tractive force compared to standard tyres.
- Reduced fuel consumption for low operational costs.
- High load capacity due to the wide design and the large volume of air.

AVAILABLE SIZES:					
420/65 R 24	126 D	540/65 R 28	142 D	600/65 R 38	153 D
440/65 R 24	128 D	600/65 R 28	147 D	650/65 R 38	157 D
480/65 R 24	133 D	540/65 R 30	150 D	650/65 R 38	166 D
540/65 R 24	140 D	540/65 R 34	145 D	710/70 R 38	166 D
440/65 R 28	131 D	600/65 R 34	151 D	650/65 R 42	165 D
480/65 R 28	136 D	540/65 R 38	147 D		

## TRACTOR RADIAL TYRES



### RD-02 Low profile tyre for high power in the field and comfort on the road

- Radial construction, maximum speed 50 km/h.
- Reduced ground pressure gives better ground handling.
- Larger contact area significantly increases the traction.
- Flexible sidewall improves driver comfort.

AVAILABLE SIZES:					
320/70 R 24	116 A8	420/70 R 28	133 A8	480/70 R 38	145 A8
360/70 R 24	122 A8	480/70 R 28	140 A8	520/70 R 38	150 A8
380/70 R 24	125 A8	480/70 R 30	141 A8	580/70 R 38	155 A8
420/70 R 24	130 A8	480/70 R 34	143 A8		
380/70 R 28	127 A8	520/70 R 34	148 A8		

## TRACTOR RADIAL TYRES



### RD-01 All-round standard tyre for a wide range of applications

- Radial construction, maximum speed 50 km/h.
- Balanced combination of features for various agricultural applications.
- Very good grip and traction with much less slip.
- Long service life thanks to the wear-resistant tread compound.

AVAILABLE SIZES:					
280/85 R 24	115 A8	420/85 R 28	139 A8	340/85 R 36	132 A8
320/85 R 24	122 A8	380/85 R 30	135 A8	340/85 R 38	133 A8
340/85 R 24	125 A8	420/85 R 30	140 A8	420/85 R 38	144 A8
380/85 R 24	131 A8	460/85 R 30	145 A8	460/85 R 38	149 A8
420/85 R 24	137 A8	320/85 R 32	142 A8	520/85 R 38	155 A8
280/85 R 28	118 A8	380/85 R 34	146 A8	480/80 R 42	151 A8
320/85 R 28	124 A8	420/85 R 34	142 A8	520/85 R 42	162 A8
340/85 R 28	127 A8	420/85 R 34	147 A8	480/80 R 46	158 A8
380/85 R 28	133 A8	460/85 R 34	147 A8		

## TRACTOR DIAGONAL TYRES



### AS-Agri 19 A classic design for tractors and other self-propelled machinery

- Traction tread pattern with larger rib surface in the central part.
- Higher resistance against tyre puncture in the sidewall area.
- Diagonal construction.

AVAILABLE SIZES:					
9.5 - 24	8 PR	14.9 - 24	8 PR	14.9 - 28	8 PR
11.2 - 24	6 PR	18.4 - 26	12 PR	18.4 - 34	8,10 PR
11.2 - 24	8 PR	11.2 - 28	8 PR	18.4 - 38	10,14 PR
12.4 - 24	8 PR	12.4 - 28	8,10 PR		
12.4 - 24	12 PR	13.6 - 28	8 PR		

## TRACTOR DIAGONAL TYRES



### AS-Agri 13 Well tested and proven design for tractors

- Durable tyre with balanced characteristics.
- Very good traction in the hard surface.
- Diagonal construction.

AVAILABLE SIZES:					
8.3 - 24	6 PR	16.9 - 30	8,14 PR	12.4 - 36	6 PR
13.6 - 24	8 PR	18.4 - 30	8,12 PR	13.6 - 36	6 PR
16.9 - 24	8,10 PR	9.5 - 32	6 PR	13.6 - 38	8 PR
16.9 - 28	12 PR	12.4 - 32	6 PR	16.9 - 38	8 PR

## TRACTOR DIAGONAL TYRES



### AS-Agri 10 Universal design with excellent traction

- Deep lugs provide greater traction in the field.
- Very good self-cleaning properties.
- Diagonal construction.

AVAILABLE SIZES:					
7.5L - 15	6 PR	8.3 - 28	8 PR	8.3 - 36	6 PR
9.5 - 24	8 PR	11.2 - 28	8 PR	9.5 - 36	6,10 PR
11.2 - 24	8 PR	14.9 - 30	6,10 PR	13.6 - 36	6 PR
14.9/80 - 24	12 PR	8.3 - 32	6 PR	9.5 - 42	10 PR
14.9 - 26	8 PR	16.9 - 34	8 PR		
16.9 - 26	10 PR	18.4 - 34	16 PR		



**AS-Agri 07** Standard diagonal tyre for harvesters with durable construction. Suitable for industrial applications.



## AVAILABLE SIZES:

23.1 - 26	12,18 PR
23.1 - 26	18 PR

**AS-Agri 06** Universal diagonal tyre with excellent traction for a wide range of applications.



## AVAILABLE SIZES:

8.00 - 20	8 PR
12.4 - 24	8 PR
12.4 - 24	12 PR

## TRACTOR DIAGONAL TYRES



**AS-Agri 15** A diagonal tyre with the unique tread pattern blocks for better traction and self-cleaning properties.



## AVAILABLE SIZES:

14.9 - 38	6 PR
15.5 - 38	8 PR

**AS-Agri 20** Traction diagonal tyre with larger rib surface in the central part of the tread pattern.



## AVAILABLE SIZES:

12.4 - 28	8 PR
14.9 - 28	8 PR

## IMPLEMENT DIAGONAL TYRES



**AS-Impl 08** Flotation pattern with reduced soil compaction due to low inflation pressure. Great traction, breaking performance and lateral stability.



## AVAILABLE SIZES:

400/60 - 15.5	14 PR
500/60 - 22.5	16 PR
550/60 - 22.5	16 PR

**AS-Impl 03** Universal traction pattern for different agricultural applications.



## AVAILABLE SIZES:

10.0/75 - 15.3	10 PR
11.5/80 - 15.3	14 PR
12.0/75 - 18	12 PR

## IMPLEMENT DIAGONAL TYRES



**AW-Impl 04** Implement tyre for steering wheels

- Modern universal tread pattern suitable for a wide range of agricultural uses.
- The ribbed tread pattern with good control characteristics and long service life.
- Diagonal construction.

## AVAILABLE SIZES:

10.0/80 - 12	10 PR
10.0/75 - 15.3	14 PR
11.5/80 - 15.3	14 PR
12.5/80 - 15.3	14 PR
12.5/80 - 18	14 PR
13.0/65 - 18	16 PR

## IMPLEMENT DIAGONAL TYRES



**AW-Impl 09** Traction pattern with strong side lugs. Low inflation pressure for reduced soil compaction.



## AVAILABLE SIZES:

500/60 - 22.5	16 PR
550/60 - 22.5	16 PR

**AW-Impl 07** Pattern with rolling rib profile without any lateral tread elements. Suitable for meadowland use or soil cultivation.



## AVAILABLE SIZES:

400/60 - 15.5	14 PR
500/50 - 17	14 PR

## TRACTOR FRONT TYRES



**AS-Front 10** Diagonal tyre for steering wheels with multi-rib tread profile without any lateral tread elements and side lugs.



## AVAILABLE SIZES:

7.50 - 16	8 PR
10.00 - 16	8 PR
6.00 - 19	8 PR
7.50 - 20	8 PR

**AS-Front 08** Diagonal tyre for steering wheels with improved on-road performance and straight-line steering characteristics.



## AVAILABLE SIZES:

6.50 - 16	8 PR
7.50 - 16	8 PR
7.50 - 20	8 PR

## TYRE DEALER / DISTRIBUTOR:

**Trelleborg Wheel Systems Czech Republic a.s.**  
Švehlova 1900/3  
106 00 Prague 10  
Czech Republic

Complete assortment of tyres you can find on [www.cultor-tyres.com](http://www.cultor-tyres.com) or in the Cultor technical documentation.