

# TYRES FOR MULTIPURPOSE USAGE

2019/2020



mitas-tyres.com

Mitas

## Multipurpose Radial Tyres



### MPT-21 / EM-01

Non-directional tread pattern

- Good traction on- and off-the-road.
- Effective self-cleaning properties.
- All-steel radial construction.

Available Sizes	
335/80 R 20 (12.5R20)	139J/136B/147A2 *
365/80 R 20 (14.5R20)	152J/141B/153A2 *
405/70 R 20 (16/70R20)	152J/143B/155A2 *
405/70 R 24 (16/70R24)	152J/146B/158A2 *

\* homologation ECE R.54



### MPT-20

Universal perennial tread pattern

- On- and off- road application.
- Municipal, military and other special vehicles.
- All-steel radial construction.

Available Sizes	
335/80 R 20 (12.5R20)	147K *
365/80 R 20 (14.5R20)	152K *

\* homologation ECE R.54

## Agricultural Radial Tyres



### AC 70 G

- The large, wide lug areas protect ground and plants.
- Stable, safe and comfortable running on the road, thanks to a wide tread area and large lug overlap in the tread centre.
- Tyres in the MPT range have a special casing and steel belt for high speeds up to 90 km/h.

Available Sizes							
265/70 R 16 MPT	114G *	325/70 R 18 MPT	125G *	375/70 R 20 MPT	136G *	405/70 R 24 MPT	149G *
285/80 R 16 MPT	126G *	365/70 R 18 MPT	132G *	405/70 R 20 MPT	136G *	445/70 R 24 MPT	151G *
425/55 R 17 MPT	134G *	275/80 R 20 MPT	131G *	425/75 R 20 MPT	148G *	495/70 R 24 MPT	155G *
425/55 R 17 MPT	141G *	335/80 R 20 MPT	134G *	445/65 R 22.5 MPT	160G <sup>(1)</sup>	495/70 R 30 MPT	147G *

\* homologation ECE R.54, <sup>(1)</sup> Tread pattern AC 70+

## Multipurpose Radial Tyres



### MPT-23

Tread pattern for road application

- Low noise emission.
- Excellent service life.
- All-steel radial construction.

Available Sizes	
375/75 R 22.5	165G *

\* homologation ECE R.54



### SRT 2

Rail & Road application

- Excellent durability.
- Longer service life.
- All-steel radial construction.

Available Sizes	
275/90 R 22.5	153G (163A5) *

\* homologation ECE R.54

## Multipurpose Diagonal Tyres



### MPT-01

Tread pattern with very good traction and self-cleaning properties

- Suitable above all for loader applications.

Available Sizes	
280/80-18 (10.5-18)	130B, 140B *
340/80-18 (12.5-18)	132B, 135B, 145B *
340/80-20 (12.5-20)	133B, 136B *
405/70-20 (16/70-20)	14PR, 16PR *
405/70-24 (16/70-24)	14PR *

\* homologation ECE R.106



### MPT-03

Universal tread pattern for on- and off-road application with good traction

- Suitable for municipal, on road service, agricultural and other special service vehicles.

Available Sizes	
12.5-18	10PR (128G), 12PR (131G), 13PR (136G) *
12.5-20	10PR (129G), 12PR (132G) *
14.5-20	12PR *
405/70-20	14PR *
18-19.5	16PR

\* homologation ECE R.54

## Multipurpose Diagonal Tyres



### MPT-04

Tread pattern with excellent treadwear and durability

- Maximum traction capabilities in soft soil.

Available Sizes	
340/80-18 IND (12.5-18)	10PR, 12PR, 16PR *
340/80-20 IND (12.5-20)	10PR, 12PR *
360/85-20 IND (14.5-20)	12PR, 14PR *
400/70-20 IND (16.0/70-20)	14PR *
400/70-24 IND	14PR (151D), 156B *
405/70-24	14PR (152B), 156B

\* homologation ECE R.106



### MPT-05

Universal heavy-duty tread pattern for on- and off-road application

- Suitable mainly for municipal, military, on-road service and other special service vehicles.

Available Sizes	
10.5-20	10PR *
12.5-20	12PR *
14.5-20	12PR *

\* homologation ECE R.54

## Multipurpose Diagonal Tyres



### MPT-06

Tread pattern with excellent traction properties and enhanced lateral stability

- Especially suitable for telescopic handlers and excavators.

Available Sizes	
18-19.5	16PR
18-19.5	166A8
480/65-22.5 IND (18-22.5)	16PR *

\* homologation ECE R.106



### MPT-08

Robust tread pattern with good traction and perfect stability

- Designed especially for excavators and telescopic handlers in hard terrain.

Available Sizes	
18-19.5	16PR



**AR-05** AG trailer  
Tread pattern with the longitudinal and lateral structure for low rolling resistance

- The all-steel construction protects the tyre from damage.
- Rounded tread shoulders.
- Approved for speeds of up to 100 km/h.

Available Sizes	
355/60R18 MPT	142J *

\* homologation ECE R.54



**TD-10**  
Lugged tread pattern for powered axle

Available Sizes	
275/80-18 MPT (10.5-18)	126D (126E) *
275/80-20 MPT (10.5-20)	123D (123E) *
275/80-20 MPT (10.5-20)	131D (131E) *
335/80-20 MPT (12.5-20)	129D (129E) *
365/80-20 MPT (14.5-20)	132D (132E) *

\* homologation ECE R.106

Tractor Industrial Radial Tyres / Tractor Industrial Diagonal Tyres



**TI-20**  
Suitable for construction, road and agricultural work

- Priority to traction.
- Designed for muddy conditions.
- Very good resistance to damage.

Available Sizes	
340/80R18 IND	143A8 *
480/80R26 IND	160A8 *
440/80R28 IND	156A8 *

\* homologation ECE R.106



**TI-02**  
Classic version of tread pattern for industrial use

Available Sizes	
17.5L-24 IND	10PR *

\* homologation ECE R.106

Tractor Industrial Diagonal Tyres



**TI-04**  
Industrial tread pattern for use on backhoe loaders with 4 × 4 axles

Available Sizes	
16.9-24 IND	12PR *

\* homologation ECE R.106



**TI-05**  
Robust industrial tread pattern with excellent traction properties

Available Sizes	
400/80-24 IND (15.5/80-24)	162A8 *
460/70-24 IND (17.5L-24)	159A8 *
500/70-24 IND (19.5L-24)	164A8 *

\* homologation ECE R.106

Tractor Industrial Diagonal Tyres



**TI-06**  
Robust industrial pattern with higher resistance to puncture and tread wear

Available Sizes	
18.4-26 IND	12PR *
16.9-28 IND	12PR *

\* homologation ECE R.106



**TI-09**  
Tread pattern with very good traction and self cleaning properties

Available Sizes	
440/80-30 IND (16.9-30)	14PR *

\* homologation ECE R.106

Tractor Industrial Diagonal Tyres



**GRIP-n-RIDE**  
Tread pattern suitable for backhoe loaders and other types of loaders

- Excellent self cleaning properties and reinforces sidewall.

Available Sizes	
19.5L-24	12PR *
21L-24 IND	12PR *

\* homologation ECE R.106



**TG-01**  
Tread pattern with good traction

Available Sizes	
16.9-24	12PR *
16.9-28	12PR *

\* homologation ECE R.106

Tractor Industrial Diagonal Tyres / Agricultural Diagonal Tyres



**TR-09**  
Tread pattern with good traction

Available Sizes	
320/80-18 IND (12.5/80-18)	12PR *
400/75-20 IND (16.0/70-20)	14PR *

\* homologation ECE R.106



**TS-05**  
Tread pattern with very good traction and handling

- Also suitable for light industrial use.

Available Sizes	
10.0/75-15.3	8PR, 10PR *
11.5/80-15.3	10PR, 14PR *

\* homologation ECE R.106

Dealer's stamp:

Trelleborg Wheel Systems Czech Republic a.s.  
Švehlova 1900/3  
106 00 Prague 10  
Czech Republic  
business@mitas-tyres.com

Complete assortment of tyres you can find on [www.mitas-tyres.com](http://www.mitas-tyres.com) or in the Mitas technical documentation.